

		Shade 2.0% o.w.f.	Solubility in gpl at 30 °C	Affinity	Reactivity	Fixation Temperature ^o C	Process Suitability				Other Fastness		Light Fastness AATCC 16E			Post Fastness Properties					
EQUINOX EQUINATIVE HE SERIES	CI NO.						Exhaust	Cold Pad Batch	Printing	Continuous	Dischargeability	Washing Fastness ISO 105 CO4	Rubbing ISO 105/X12 Dry / Wet	0.1%	1.0%	2.0%	Water ISO 105 E01	Chlorinated Pool Water AATCC 162:2002	Hydrogen Peroxide	Mercerizing (ISO 105 X04)	Perspiration ISO 105 E04 Acid / Alkali
Yellow HE6G	Yellow 135		50	Н	L	60- 80	5	NS	S	NS	Good	4-5	4-5 4	3-4	3-4	4	4-5	3	4-5	-	4-5 4-5
Yellow HE4G	Yellow 81		40	M	Н	80	HS	NS	NS	NS	Poor	4	3-4 3-4	3-4	3-4	4	4	4	4-5	4	4-5 4-5
Go. Yellow HE4R	Yellow 84		70	Н	Н	80	HS	S	NS	NS	Poor	4	3-4 3	3	3-4	4	4	4	4-5	4	4-5 4-5
Go. Yellow HER	Yellow 84 A		80	Н	Н	80	HS	S	LS	NS	Poor	4	3-4 3	3	3-4	4	4	4	4-5	4	4-5 4-5
Orange HER	Orange 84		50	Н	Н	80	HS	LS	NS	NS	Poor	4-5	3-4 2-3	2-3	3-4	3-4	3-4	3-4	4-5	3	4 4
Orange HE2R	Orange 86		80	Н	М	60- 80	S	LS	NS	NS	Poor	3-4	3-4 2-3	2-3	3	3-4	4	4-5	5	3	4
Red HE3B	Red 120		100	Н	Н	80	HS	LS	NS	NS	Poor	4-5	4	3-4	4	4	4-5	4	4	4	4-5 4-5
Red HE7B	Red 141		120	Н	Н	80	HS	S	S	NS	Poor	4-5	4 3	3-4	3-4	4	4-5	4	4	4	4-5 4-5
Red HE8B	Red 152		100	Н	L	80	S	NS	NS	NS	Poor	4-5	4	2-3	3	3	4	4-5	4	4	4-5 4-5
Blue HERD	Blue 160		100	Н	Н	80	HS	S	NS	NS	Poor	4-5	4	3-4	4	4	4-5	3	3-4	4	4-5 4-5 4-5
Blue HEGN	Blue 198		100	Н	Н	80	HS	S	NS	NS	Poor	4-5	4 3	3-4	4	4	4-5	1	3-4	4	4-5
Turquise Blue HA	Blue 71		100	M	Н	80	HS	S	NS	NS	Poor	4-5	4 3	3-4	4	4	4-5	1	3-4	4	4 4-5 4
Green HE4BD	Green 19		80	Н	Н	80	HS	LS	NS	NS	Poor	4-5		3-4	3-4	4	4-5	4	3-4	4	4-5 4-5
Green HE4B	Green 19 A		80	Н	L	60- 80	S	NS	NS	NS	Poor	4	3-4 3	2-3	3	3-4	4	3-4	3-4	3-4	
Navy Blue HER	Blue 171		100	Н	Н	_	HS	S	NS	NS	Good	4-5	3-4	3	3-4	3-4	4-5	3	4	4	4-5
Navy Blue HE2R	Blue 172		100	L	M	60- 80	S	S	S	NS	Poor	4	3-4 3-4 3	3	3-4	4	4	-	4	2-3	4-5 4-5 4-5

 $\textbf{H} - \textbf{High} \ | \ \textbf{M} - \textbf{Medium} \ | \ \textbf{L} - \textbf{Low} \ | \ \textbf{HS} - \textbf{High Suitable} \ | \ \textbf{S} - \textbf{Suitable} \ | \ \textbf{LS} - \textbf{Low Suitable} \ | \ \textbf{NS} - \textbf{Not Suitable} \ | \ \textbf{NS$

